

SCIENTIFIC REPORTS



OPEN

Superconductivity in HfTe_5 across weak to strong topological insulator transition induced via pressures

Y. Liu^{1,*}, Y. J. Long^{1,*}, L. X. Zhao¹, S. M. Nie¹, S. J. Zhang¹, Y. X. Weng¹, M. L. Jin¹, W. M. Li¹, Q. Q. Liu¹, Y. W. Long¹, R. C. Yu¹, C. Z. Gu¹, F. Sun¹, W. G. Yang², H. K. Mao², X. L. Feng³, Q. Li³, W. T. Zheng³, H. M. Weng^{1,4}, X. Dai^{1,4}, Z. Fang^{1,4}, G. F. Chen^{1,4} & C. Q. Jin^{1,4}

Recently, theoretical studies show that layered HfTe_5 is at the boundary of weak & strong topological insulator (TI) and might crossover to a Dirac semimetal state by changing lattice parameters. The topological properties of 3D stacked HfTe_5 are expected hence to be sensitive to pressures tuning. Here, we report pressure induced phase evolution in both electronic & crystal structures for HfTe_5 with a culmination of pressure induced superconductivity. Our experiments indicated that the temperature for anomaly resistance peak (T_p) due to Lifshitz transition decreases first before climbs up to a maximum with pressure while the T_p minimum corresponds to the transition from a weak TI to strong TI. The HfTe_5 crystal becomes superconductive above ~ 5.5 GPa where the T_p reaches maximum. The highest superconducting transition temperature (T_c) around 5 K was achieved at 20 GPa. Crystal structure studies indicate that HfTe_5 transforms from a Cmc m phase across a monoclinic C2/m phase then to a P-1 phase with increasing pressure. Based on transport, structure studies a comprehensive phase diagram of HfTe_5 is constructed as function of pressure. The work provides valuable experimental insights into the evolution on how to proceed from a weak TI precursor across a strong TI to superconductors.

The topological quantum materials, such as topological insulators (TIs), Dirac and Weyl semimetals, attracted much interests recently due to their rich physics and promising prospects for application in electronic and spintronic devices^{1–18}. There is an ongoing effort to search for new materials which might host similar electronic and topological properties. Graphene, a single sheet of carbon atoms, which hosts two-dimensional (2D) Dirac fermions, was firstly proposed to be one of the quantum spin Hall (QSH) insulators³, but it is not suitable for application due to its small energy gap. The transition-metal pentatellurides, HfTe_5 or ZrTe_5 , long been known as thermoelectric materials, have stimulated considerable interest and active studies due to their unusual transport properties, in which the resistivity exhibits a pronounced peak at ~ 80 K for HfTe_5 and ~ 130 K for ZrTe_5 , respectively^{19–22}. Recent theoretical calculations predicted that the single-layer HfTe_5 and ZrTe_5 are QSH insulators with large energy gap. Remarkably, the topological band structures of their 3D stacked compounds could be tuned by lattice parameters²³. Besides, the combined scanning tunneling microscopy/spectroscopy (STM/S) and angle-resolved photoemission spectroscopy (ARPES) results demonstrate that the top monolayer of ZrTe_5 crystals is a large-gap 2D TI²⁴. This predication renewed the interests in exploring exotic quantum physical phenomena in experiments. Very recently, Li *et al.* reported the observation of chiral anomaly in the bulk single crystal ZrTe_5 through magneto-transport study²⁵, which is similar to that observed in 3D Dirac semimetal Na_3Bi ¹⁸. With applying pressure, superconductivity with $T_c \sim 2.5$ K appears in ZrTe_5 above 6 GPa²⁶. The theoretical calculations predicate that both ZrTe_5 and HfTe_5 are located in the vicinity of a transition between weak and strong TI²³. ARPES results of bulk ZrTe_5 also suggest the possible transition from weak TI (WTI) to strong TI (STI) via pressure²⁷. However, there are few research works on HfTe_5 due to the difficulty of growing large and high quality

¹Institute of Physics & School of Physics of University of Chinese Academy of Sciences, Chinese Academy of Sciences, Beijing 100190, China. ²Center for High Pressure Science & Technology Advanced Research, Shanghai, 201203, China. ³Department of Materials Science, Jilin University, Changchun 130012, China. ⁴Collaborative Innovation Center of Quantum Matter, Beijing, China. *These authors contributed equally to this work. Correspondence and requests for materials should be addressed to G.F.C. (email: gfchen@iphy.ac.cn). or C.Q.J. (email: Jin@iphy.ac.cn)

single crystals²⁸. Our preliminary study on HfTe₅ shows very different quantum physical behaviors at ambient pressure in spite of the two compounds possess the same crystal structure²⁸. These interesting results make HfTe₅ a potential material for the study of the novel topological quantum phenomenon and topological phase transitions as function of pressures.

High pressure is a neat but powerful method^{29–35} to tune the electronic and crystal structures of emergent quantum matters with advantages of without introducing disorder or impurity that are always inherent to chemical doping. In this work, we report the discovery of pressure induced superconductivity in HfTe₅ single crystals. Transport experiments indicate consecutive transitions induced by pressure from semiconductor to metal before superconductivity appears at a critical pressure of ~5.5 GPa. A systematic phase diagram on crystal and electronic properties of HfTe₅ as a function of pressure is constructed.

Results and Discussion

Figure 1 shows the evolution of *ac* plane resistance as a function of temperature of HfTe₅ single crystals at various pressures. At 1.3 GPa, the resistance displays a typical semiconductor like behavior above 40 K. As temperature continues to decrease, the resistance increases much slowly. When pressure increases up to 2.1 GPa, the resistance shows a hump near 49 K, and then decreases with temperature, accompanied by an upturn below 11 K. The behaviors of the abnormal resistance appearing at 40 K and 49 K are intimately tied to the band structure evolution with temperatures, which are similar to those observed at ambient pressure^{19,20,28}. The temperature with peak resistance (*T_p*) increases to 84 K at 4.0 GPa, accompanied by the broadening of the hump and the decrease of the peak resistance. Up to 5.5 GPa, in addition to the increases of *T_p* to 136 K, a small drop of resistance is observed at low temperature which signifies the occurrence of superconducting.

Both HfTe₅ and ZrTe₅ display a resistive abnormal hump. The *T_p* in HfTe₅ crystal decreases with pressure up to 1.7 GPa but those of ZrTe₅ is on the opposite³⁶. This results in the reduced *T_p* of HfTe₅ under low pressure than that at ambient pressure (65 K) as seen in the insert of Fig. 1(a). Our experiment indicates that *T_p* changed systematically with pressure, showing the anomaly resistance peak moves to low temperature first before reverses to high temperature then followed by disappearance. That is in opposite to the effect of pressure on ZrTe₅²⁶.

Due to weak interlayer coupling strength, both ZrTe₅ and HfTe₅ locate at the vicinity between weak and strong TI²³, as confirmed by ARPES experiments on bulk ZrTe₅²⁷. The identification of a temperature induced Lifshitz transition directly accounts to the origin of the transport property anomalies in ZrTe₅²⁷. ARPES revealed two branches of bands near the Γ point of ZrTe₅: the upper branch (UB) above the Fermi level corresponds to electron like conduction band, and the lower branch (LB) band corresponds to the hole like valence band. There is a clear Lifshitz transition that occurs across 135 K where the Fermi surface topology transforms from an electron like pocket at low temperature to a hole like pocket at high temperature. This Lifshitz transition corresponds to the band structure where the energy gap center just crosses the Fermi level²⁷. Assuming the same scenario to HfTe₅, while the bands shift with increasing temperature, high pressure will reduce its energy gap, resulting into lower temperature where Fermi level crosses the gap center. In other word, the temperature of the resistance hump decreases with pressure first. With further increasing pressure, the enhanced interlayer coupling will transform the state from a weak TI to a strong TI thus *T_p* increases via the pressure. In Weng's work²³, they show that the stacked 3D ZrTe₅ compound is located at the vicinity of a transition between strong and weak TI. Only the 2% change of lattice parameter will cause this transition. This can be realized through compression for HfTe₅ as shown in Fig. 2. With the pressure increased, the topological state gradually crossed the boundary of weak and strong TI. This is in consistent with the anomaly shift of *T_p* via pressure shown in Fig. 1.

Further increasing pressure, the maximum of resistance is totally suppressed and the overall resistance shows a metallic transport behavior. A superconducting transition with signature of resistance drop at around 2.7 K was observed at 5.5 GPa, as shown in Fig. 1(b). The transition temperatures (*T_c*) was defined based on the differential of resistance over temperature (dR/dT)²⁹. With pressure increasing to 6.6 GPa, *T_c* grows rapidly with resistance drop getting more pronounced and the zero resistance starting to be fully realized. The superconductivity transitions at pressures up to 35 GPa are shown in Fig. 1(b). In the whole pressure range, the highest *T_c* is achieved at about 5 K, while *T_c* descends slightly above 20 GPa.

To assure the drop observed in Fig. 1(b) is indeed a superconducting transition, we further measured the resistance versus temperature at variant applied magnetic field (*H*). The evolutions of *T_c* at 18 GPa as a function of magnetic field are performed, as shown in Fig. 3, with insets showing the change of *T_c* with *H*. It is obvious that *T_c* shifts toward lower temperature with magnetic field, indicating the transition is superconductivity in nature. According to the Werthamer-Helfand-Hohenberg (WHH) formula³⁰, $H_{C2}(0) = -0.691[dH_{C2}(T)/dT]_{T=T_c} * T_c$, the upper critical field $H_{C2}(0)$ is extrapolated to be 4.1 T with *T_c* onset, 3.4 T with *T_c* midpoint and 2.8 T with zero point of *T_c* at 18 GPa with magnetic field *H* paralleling to *b* axis of HfTe₅ single crystal.

To determine the carrier density we conducted Hall Effect measurements with a magnetic field *H* perpendicular to *ac* plane of HfTe₅ single crystal using Van der Pauw method. Carrier density increases almost three orders of magnitude with pressure up to 9.8 GPa, as shown in Fig. 4. It is visual that carrier density increases much faster above 5 GPa than that at lower pressure, which coincides with occurrence of superconductivity. In other world, the variations of *T_c* with pressure are closely related to the change of carrier density or mobility. The carrier is found to be n-type like in the whole range of pressure which might be the results of two carriers competing.

We performed crystal structure studies based on first-principle calculations on HfTe₅ at pressure up to 40 GPa. The enthalpies of the newly predicted stable phases, calculated at the high level of accuracy, are plotted as a function of pressure as shown in Fig. 5. The ambient pressure *Cmcm* structure is the most stable phase up to 5 GPa, followed by a phase transition to a monoclinic *C2/m* structure, which corresponds to the appearance of the superconductivity at 5.5 GPa in the transport measurements. Beyond 12 GPa, triclinic *P-1* structure becomes the most stable phase at least up to 40 GPa. The crystal structures of *C2/m* and *P-1* are shown in the inset of Fig. 5, respectively. In considerations of transport experiments, the occurrence of superconductivity is possibly related




Figure 1. Electrical transport properties of HfTe₅ single crystal. (a) Temperature dependence of *ac* plane resistance at low pressure. (b) The *ac* plane resistance as a function of temperature at various pressures showing superconducting transitions at high pressure.

to the transition from *Cmcm* to monoclinic *C2/m*. The orthorhombic *Cmcm* phase is a layered structure with the interlayer distance of 6.9 Å at 5 GPa. Upon compression, the new phase of monoclinic *C2/m* phase is also of layered structure but with reduced interlayer distance to 3.4 Å at 6 GPa. The interlayer distance along the stacking direction decreases due to the volume shrink. The second high pressure phase with triclinic *P-1* symmetry is a compacted cubic like structure.

To further study the structure stability and the predicted new phases, we conducted *in situ* high-pressure synchrotron X-ray diffraction measurement on the HfTe₅ powder sample as shown in Figure S3. New peaks marked with star appeared at 4.69 GPa that indicated a phase transition in well consistent with the theoretical




Figure 2. The calculated transition between weak TI and strong TI via lattice parameters change and pressure. The black empty square represents weak TI state and red solid triangle represents strong TI state based. The blue circle stands for lattice parameters at different pressure.




Figure 3. The superconducting transitions of HfTe₅ with applied magnetic field H perpendicular to the ac plane of HfTe₅ single crystal at 18 GPa. The inset shows T_c evolution as function of magnetic field H.

calculations. At higher pressure region the reduced pattern intensity & resolution don't allow track on the further phase transition.

We further studied the electronic structure of HfTe₅ via first-principle calculations by taking into account spin orbital coupling (SOC). Figure S2 shows that HfTe₅ is a weak topological insulator at ambient, but transforms to a metal with complicated Fermi surface at high pressures as revealed by the electronic structures at 10 GPa and 20 GPa, respectively.

Referring to the results of electrical transport and predicted structure at high pressures, the phase diagram of HfTe₅ as function of pressures is built as shown in Fig. 6. HfTe₅ remains the ambient structure below 5.5 GPa with *Cmcm* symmetry but changes from weak topological character to strong topological character at around 1 GPa. The abnormal peak temperature T_p of resistance forms a minimum valley due to the weak TI to strong TI transition. The T_p reaches highest value ~136 K at 5.5 GPa, while superconductivity occurs. The superconductivity is stable in the pressure range at least up to 35 GPa, with the highest T_c ~ 5 K at 20 GPa.

Conclusion

In summary superconductivity is discovered following the pressure driven transition from a weak TI to a strong TI in HfTe₅ single crystal.




Figure 4. Pressure tuned changes on T_c , carrier density and mobility in HfTe_5 at various temperatures (LPP & HPP indicate low pressure phase & high pressure phase, respectively).




Figure 5. Calculated enthalpies per atom as functions of pressure up to 40 GPa.

Methods

Sample synthesis and characterization. Single crystals of HfTe_5 were grown by chemical vapor transport. Stoichiometric amounts of Hf (powder, 3N, Zr nominal 3%) and Te (powder, 5N) were sealed in a quartz ampoule with iodine (7 mg/mL). Quartz ampoule was placed in a two-zone furnace for almost one month with typical temperature gradient from 500 °C to 400 °C applied. HfTe_5 single crystals present long ribbon shape²⁸. The crystal structure of HfTe_5 has been determined by powder X-ray diffraction experiments²², which is orthorhombic with space group of $Cmcm$ as shown in Figure S1. Trigonal prismatic chains of HfTe_3 run along a axis, and




Figure 6. The phase diagram of HfTe_5 single crystal as function of pressure. T_p denotes the peak temperature of resistance anomaly. The red circle represents $T_p/10$. The blue circle stands for the onset temperature of superconducting phase. The yellow region corresponds to TI phase till 5.5 GPa. Above 5.5 GPa, the blue area indicates

these prismatic chains are linked via parallel zigzag chains of Te atoms along the c axis to form a 2D sheet of HfTe_5 in the ac plane. The sheets of HfTe_5 stack along the b axis, forming a layered structure²³.

High-pressure transport measurements. The transport properties of HfTe_5 single crystals at high pressure are measured using the standard four-probe method by diamond anvil cell (DAC) made of nonmagnetic BeCu alloy as described in refs 29 and 31–35. Pressure was generated by a pair of diamonds with 500 μm culet. A T301 stainless steel gasket, pre-indented from 250 μm to 30 μm thickness, was drilled a center hole with 250 μm in diameter. The gasket was then covered by cubic BN insulator layer to protect electrode from short circuit to gasket. A center hole with a diameter of 100 μm was further drilled at the insulating layer to serve as sample chamber. The HfTe_5 single crystal with a dimension of 80 μm * 80 μm * 10 μm was loaded into sample chamber with soft NaCl fine powder as pressure transmitting medium. Slim gold wires of 18 μm in diameter are used as electrodes. Pressure was calibrated by ruby fluorescence shift method for all the experiments. The DAC was placed inside a MagLab system to perform the electric transport experiments³⁵. To ensure equilibrium, the temperature was automatically controlled by the MagLab system with slow temperature change rate. A thermometer located around the sample in the diamond anvil cell was used to monitor sample temperature.

High-pressure synchrotron XRD experiments. The high pressure X-ray diffraction experiments are conducted with a symmetric DAC. The similar procedures to transport measurements are adopted. The X-ray diffraction experiments at high pressure with synchrotron source are performed at HPCAT of Advanced Photon Source in Argonne National Laboratory with a wavelength of 0.4246 \AA using a symmetric Mao Bell diamond anvil cell at room temperature. The XRD patterns are collected with a MAR 3450 image plate detector and integrated from the images by using the FIT2d software.

High-pressure structure evolution and electronic band calculation. The structure search simulations are performed through the CALYPSO method, which is specially designed for global structural minimization unbiased by any known structural information. The first principles calculations have been carried out by using the projector augmented wave (PAW) method implemented in Vienna ab initio simulation package (VASP). The lattice parameters determined by X-ray diffraction are adopted in our calculations. Generalized gradient approximation (GGA) of Perdew-Burke-Ernzerhof type is used. The k-point sampling grids are set to $14 * 14 * 8$, $11 * 11 * 7$ and $11 * 7 * 3$ for the self-consistent calculations of HfTe_5 in 0 GPa, 10 GPa and 20 GPa, respectively. The cut-off energy for the plane wave expansion is chosen as 500 eV. Spin-orbit coupling (SOC) is taken into account self-consistently.

Note added: During the submission, we became aware the work reported by Y. Qi *et al.*³⁴. Both works are uploaded to arXiv within three days (arXiv: 1602.08616 & arXiv: 1603.00514).

References

1. Qi, X. L. & Zhang, S. C. Topological insulators and superconductors. *Rev. Mod. Phys.* **83**, 1057–1110 (2011).
2. Hasan, M. Z. & Kane, C. L. Topological insulators. *Rev. Mod. Phys.* **82**, 3045–3067 (2010).
3. Kane, C. L. & Mele, E. J. Quantum Spin Hall Effect in Graphene. *Phys. Rev. Lett.* **95**, 226801 (2005).
4. Bernevig, B. A., Hughes, T. L. & Zhang, S.-C. Quantum spin Hall effect and topological phase transition in HgTe quantum wells. *Science* **314**, 1757–1761 (2006).
5. Nielsen, H. B. & Ninomiya, M. The Adler-Bell-Jackiw anomaly and Weyl fermions in a crystal. *Phys. Lett. B* **130**, 389–396 (1983).
6. Young, S. M. *et al.* Dirac Semimetal in Three Dimensions. *Phys. Rev. Lett.* **108**, 140405 (2012).
7. Wang, Z. *et al.* Dirac semimetal and topological phase transitions in A_3Bi (A = Na, K, Rb). *Phys. Rev. B* **85**, 195320 (2012).
8. Liu, Z. K. *et al.* A stable three-dimensional topological Dirac semimetal Cd_3As_2 . *Nat. Mater.* **13**, 677–681 (2014).
9. Liu, Z. K. *et al.* Discovery of a Three-Dimensional Topological Dirac Semimetal, Na_3Bi . *Science* **343**, 864–867 (2014).

10. Burkov, A. A. & Balents, L. Weyl Semimetal in a Topological Insulator Multilayer. *Phys. Rev. Lett.* **107**, 127205 (2011).
11. Huang, X. C. *et al.* Observation of the chiral anomaly induced negative magnetoresistance in 3D Weyl semi-metal TaAs. *Phys. Rev. X* **5**, 031023 (2015).
12. Weng, H., Fang, C., Fang, Z., Bernevig, B. A. & Dai, X. Weyl Semimetal Phase in Noncentrosymmetric Transition Metal Monophosphides. *Phys. Rev. X* **5**, 011029 (2015).
13. Lv, B. Q. *et al.* Observation of Weyl nodes in TaAs. *Nat. Phys.* **11**, 724–727 (2015).
14. Lv, B. Q. *et al.* Experimental discovery of Weyl Semimetal TaAs. *Phys. Rev. X* **5**, 031013 (2015).
15. Xu, S.-Y. *et al.* Discovery of a Weyl fermion semimetal and topological Fermi arcs. *Science* **349**, 613–617 (2015).
16. Yang, L. X. *et al.* Weyl semimetal phase in the non-centrosymmetric compound TaAs. *Nat. Phys.* **11**, 728–733 (2015).
17. Inoue, H. *et al.* Quasiparticle interference of the Fermi arcs and surface-bulk connectivity of a Weyl semimetal, *Science* **351**, 1184 (2016).
18. Xiong, J. *et al.* Evidence for the chiral anomaly in the Dirac semimetal Na₃Bi, *Science* **350**, 413–416 (2015).
19. DiSalvo, F. J., Fleming, R. M. & Waszczak, J. V. Possible phase transition in the quasi-one-dimensional materials ZrTe₅ or HfTe₅. *Phys. Rev. B* **24**, 2935–2939 (1981).
20. Jones, T. E., Fuller, W. W., Wieting, T. J. & Levy, F. Thermoelectric power of HfTe₅ and ZrTe₅. *Solid State Commun.* **42**, 793–798 (1982).
21. Tritt, T. M. *et al.* Large enhancement of the resistive anomaly in the pentatelluride materials HfTe₅ and ZrTe₅ with applied magnetic field. *Phys. Rev. B* **60**, 7816–7819 (1999).
22. Furuseth, S., Brattas, L. & Kjekshus, A. The crystal structure of HfTe₅, *Acta Chem. Scand.* **27**, 2367–2374 (1973).
23. Weng, H. M., Dai, X. & Fang, Z. Transition-Metal Pentatelluride ZrTe₅ and HfTe₅: A Paradigm For Large-Gap Quantum Spin Hall Insulators. *Phys. Rev. X* **4**, 011002 (2014).
24. Wu, R. *et al.* Evidence for Topological Edge States in a Large Energy Gap near the Step Edges on the Surface of ZrTe₅. *Phys. Rev. X* **6**, 021017 (2016).
25. Li, Q. *et al.* Chiral magnetic effect in ZrTe₅. *Nature Physics* **12**, 550–554 (2016).
26. Zhou, Y. H. *et al.* Pressure induced superconductivity in a three-dimensional topological material ZrTe₅. *Proc. Natl. Acad. Sci. USA* **113**(11), 2904–2909 (2016).
27. Zhang, Y. *et al.* Electronic Evidence of Temperature Induced Lifshitz Transition and Topological Nature in ZrTe₅. arXiv: 1602.03576.
28. Zhao, L. X. *et al.* Topological Critical Point and Resistivity Anomaly in HfTe₅. arXiv:1512.07360.
29. Zhang, J. L. *et al.* Pressure-induced superconductivity in topological parent compound Bi₂Te₃. *Proc. Natl. Acad. Sci.* **108**, 24–28 (2011).
30. Werthamer, N. R., Helfand, E. & Hohenberg, P. C. Temperature and Purity Dependence of the Superconducting Critical Field, H_{c2}. III. Electron Spin and Spin-Orbit Effects. *Phys. Rev.* **147**, 295–302 (1966).
31. Zhang, S. J. *et al.* The comprehensive phase evolution for Bi₂Te₃ topological compound as function of pressure. *J. Appl. Phys.* **111**, 112630 (2012).
32. Zhu, J. *et al.* Superconductivity in Topological Insulator Sb₂Te₃ Induced by Pressure. *Sci. Rep.* **3**, 2016 (2013).
33. Kong, P. P. *et al.* Superconductivity of the topological insulator Bi₂Se₃ at high pressure. *J. Phys.: Condens. Matter* **25**, 362204 (2013).
34. Qi, Y. P. *et al.* Pressure-driven superconductivity in the transition-metal pentatelluride HfTe₅. *Phys. Rev. B* **94**, 054517 (2016).
35. Kong, P. P. *et al.* Superconductivity in Strong Spin Orbital Coupling Compound Sb₂Se₃. *Sci. Rep.* **4**, 6679 (2014).
36. Fuller, W. W. *et al.* Pressure Effects in HfTe₅ and ZrTe₅. *Journal De Physique.* **44**, C3-1709-C3-1712 (1983).

Acknowledgements

This research was supported by NSF & MOST of China through research projects.

Author Contributions

C.Q.J. and G.F.C. conceived & designed the research; Y.L. conducted the high-pressure measurements with assistance from S.J.Z., M.L.J., W.M.L.; Y.J.L. and L.X.Z. synthesized the sample; S.M.N. product the electron band calculation with the supervise of H.M.W., X.D. and Z.F.; F. S. is responsible for the high pressure XRD experiment under the command of W.G.Y. and H.K.M.; X.L.F. conduct the high pressure structure prediction with the help of Q.L. and W.T.Z.; Y.L. analyzed the data and wrote the paper with the review of Y.X.W., Q.Q.L., Y.W.L., R.C.Y., C.Z.G., C.Q.J. and G.F.C. All authors discussed the results and commented on the manuscript.

Additional Information

Supplementary information accompanies this paper at <http://www.nature.com/srep>

Competing Interests: The authors declare no competing financial interests.

How to cite this article: Liu, Y. *et al.* Superconductivity in HfTe₅ across weak to strong topological insulator transition induced via pressures. *Sci. Rep.* **7**, 44367; doi: 10.1038/srep44367 (2017).

Publisher's note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

© The Author(s) 2017